BID TABULATION SHEET

i	A	В	C		
1			4.3		
2	RPF#: 1	79-2324-232_CNS_EQUII	P_DW		
3		Bid Opening Date: 11/16/23			
4	BIDDER NAME	BID TOTAL	COMMENTS		
5	SINGER	SEE ATTACHMENT			
6	·	SEE ATTACHMENT			
7					
8					
9		2			
10					
11	· · · · · · · · · · · · · · · · · · ·				
12					
13					
14					
15					
16					
17					
18					
19					
20		· · · · · · · · · · · · · · · · · · ·			
21	-				
22					
23	·				
24					
25		. •			
26					



Quote

11/14/2023

Project:

Durham County Public Schools / RFP 179-2324-232-CNS EQUIP DW

From:

Singer T&L
David Maxwell
933 Robeson Street

Fayetteville, NC 28305-5613

(910) 484-1128

(910)912-6741 (Contact)

Job Reference Number: SF8408M

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at https://www.singerequipment.com/policies/quote-terms-conditions (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer NC LLC d.b.a.Singer T&L, a division of Singer Equipment Company, Inc. ("Singer").

Item	Qty	Description	Şell	Sell Total
1	16 ea	DISHWASHER, CONVEYOR TYPE	\$29,999.97	\$479,999.52
		Champion Model No. 44 PRO-HR		•
		Pro Series, 44"W rack conveyor dishwasher, Proportional Rinse,	•	•
4		Progressive anti-jam drive system, top mounted Prodigy series HMI	•	
		user interface, Proactive maintenance software, 100 gallons per hour	•	
		with energy sentined (idle pump shut off), (209) racks perhour, single-		
		piece hood design, single-piece stainless steel upper & lower wash		*
		arms manifolds, internal removable scrap basket, dual-piece scrap screens, 20" standard vertical clearance which accommodate 18" x 26"		•
		sheet pans, full 180° opening leak proof insulated hinged access doors,		
4		automatic tank fill, door safety switches, leak-proof ball valve drains,		
		lower front & side enclosure panels, stainless steel heavy gauge		
		construction including base & legs, electric tank heat with heat		
•		recovery, heat recovery cabinet to come standard with single vent		
		cowl, internal booster heater included, 2 HP wash pump, single point		
		machine & booster connection, vent fan control, stainless steel rear		
		manifolds, includes: (1) 20" x 20" peg rack & (1) 20" x 20" flat rack, NSF		
		Pot & Pan mode, cULus, ENERGY STAR®, Made in USA		
	16 ea	— · · · · · · · · · · · · · · · · · · ·	\$50.00	\$800.00
	16 ea		•	
	16 ea	Oversized units with crated dimension of equal to or greater than 96"		
		for shipping will require an oversize charge. Shipping to a facility		
	-	without a standard receiving dock could incur additional shipping	3	
Note:	I	used budged anothe \$ 10,000,00 it a v	entles	\$
•	5.51	out budget anothe \$ 10,000,00 it a von machine will be needed. No hood	w no g	لده

Durham County Public Schools / RFP 179-2324-232-CNS_EQUIP_DW

way to add duct!

Initial: _____ Page 1 of 6

ltem	Qty.	Description	Sell	Sell Total
an na Aire	justi ustum stradi s	charges related to service requested.	<u> </u>	
	16 ea	Complimentary factory authorized performance test included, upon		
•		equipment start-up. Consult local Champion sales representative for		
		coordination of the start-up. If customer is beyond 60 miles from		
		Champion authorized service agent, consult factory.		
		Direction of operation to be specified		
	16 ea	Note: For water of 3-grains of hardness or more, Champion		
		recommends adding a water treatment device.		
	16 ea	Voltage to be determined		4
	16 ea	Electric tank heat with heat recovery, standard		
	16 ea	Electric booster, 70° rise, 21kW, built-in, standard		
	16 ea	20" High hood vertical clearance for sheet pans (standard)		
	16 ea	Table limit switch, whisker style (unmounted) (traditional)	\$357.21	\$5,715.36
	16 ea	Field installation by KEC or authorized installer		
		n	TEM TOTAL:	\$486,514.88
	16 ea	INSTALATION	\$4,500.00	\$72,000.00
		SINGER T&L Model No. INSTALATION		
		Singer T&L will contract the installation of the dish machines to school	ol	
		supplied		8
		utilities that will be confirmed prior to orders being placed.		
		The installer will tie the dish machines into school supplied duct or s	it	
		under a school supplied condensate hood.		
		The drain lines will be ran into school supplied floor sinks/ The water		
		lines will be connected to a school supplied water source / The drain		
	÷	will dump into a school supplied floor sink close to the dish machine		672 AAA A
		· · · · · · · · · · · · · · · · · · ·	TEM TOTAL:	\$72,000.00
	1 ea	REMOVAL	*	
		SINGER T&L Model No. REMOVAL Singer T&L will remove the old dosh machines from each school	• • • •	
		and take to the school warehouse for disposal. No Charge will us be		
		awarded		
		the contract.		
	16 ea	PRE-RINSE FAUCET ASSEMBLY	\$333.60	\$5,337.6
á"··		T&S Brass Model No. B-0131-BC	- -	
Year or	- Company	EasyInstall Pre-Rinse Unit, wall mount mixing faucet with 8"		
·		adjustable centers, quarter-turn Eterna cartridges with spring checks	t	
le	Í	lever handles with color coded indexes, 26" EasyInstall riser with		
	Ž.	overhead swivel arm, 20" flexible stainless steel hose with heat-	<i>2</i>	
₩. Can	AGP .	resistant gray handle & hold down ring, 0.65 GPM low flow spray valv	re	
		(B-0107-C), finger hook, 6" adjustable wall bracket, polished chrome-	•	· · · · · · · · · · · · · · · · · · ·
		plated brass faucet body, 1/2" NPT female inlets, CSA		
		·		
			FEM TOTAL:	\$5,337.6

ltem	Qty	Description	Sell	Sell Total
	Suppression of the Co	Advance Tabco Model No. DTS-S70-48L-X		
de la		Special Value Straight-Soil Dishtable, attaches to left of dish machine		
		operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs,		
All Controller		with crossrails, 47"W, 16/304 stainless steel		
ą		Prerinse sink to be connected to school supplied utilities		
-		Direction to be field verified		
	11 ea	SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to		
		attached document (AQ only) or consult www.advancetabco.com for		
		compatibility listing. Certain dish machines require modifications at		
	•	additional cost not shown here		
	11 ea	K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections	\$84.70	\$931.70
	11 ea	K-4 Support Bracket, for lever waste drain handle, (1) support required	\$38.50	\$423.50
		for each lever drain		
		ITE	M TOTAL:	\$10,617.20
5	11 ea	CLEAN DISHTABLE	\$497.00	\$5,467.00
•		Advance Tabco Model No. DTC-S70-48L-X		
		Special Value Dishtable, clean, straight design, attaches to left of dish		
4	e de la companya de La companya de la co	machine operator, 10-1/2"H backsplash, 3" rolled front & side rims,		•
V	•	stainless steel legs, with crossrails, 47"W x 30"D x 34"H, 16/304		
•		stainless steel	•	
	-	Direction to be field verified		
	11 ea	SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to		
		attached document (AQ only) or consult www.advancetabco.com for		
		• • • • • • • • • • • • • • • • • • • •	•	
		compatibility listing. Certain dish machines require modifications at		
		compatibility listing. Certain dish machines require modifications at additional cost not shown here		ĆF 467.00
		compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE	M TOTAL:	\$5,467.00
,	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE	M TOTAL: \$910.00	\$5,467.00 \$4,550.00
·	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Taboo Model No. DTS-570-601-X		
7	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-601-X Special Value Straight-Soil Dishtable, attaches to left of dish machine	\$910.00	
The second secon	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabor Model No. DTS-S70-601-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs,	\$910.00	
and the state of t	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-601-X Special Value Straight-Soil Dishtable, attaches to left of dish machine	\$910.00	-
The second secon		compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabor Model No. DTS-S70-601-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs,	\$910.00	-
7		compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for	\$910.00	
The second secon		compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at	\$910.00	-
The second secon	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Taboo Model No. DTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here	\$910.00	\$4,550.00
The second secon	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections	\$910.00 \$84.70	\$4,550.00 \$423.50
To the same of the	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections K-4 Support Bracket, for lever waste drain handle, (1) support required	\$910.00 \$84.70	\$4,550.00 \$423.50
The second secon	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. BTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain	\$910.00 \$84.70	\$4,550.00 \$423.50
7 Control of the Cont	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. DTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain Prerinse sink to be connected to school supplied utilities	\$910.00 \$84.70	\$4,550.00 \$423.50
The second secon	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Tabco Model No. BTS-S70-60L-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain	\$910.00 \$84.70	\$4,550.00 \$423.50
The second secon	5 ea	compatibility listing. Certain dish machines require modifications at additional cost not shown here ITE SOILED DISHTABLE Advance Taboo Model No. DTS-570-601-X Special Value Straight-Soil Dishtable, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with crossrails, 59"W, 16/304 stainless steel SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain Prerinse sink to be connected to school supplied utilities Direction to be field verified	\$910.00 \$84.70	

Description

Sell

Sell Total



Advance Tabco Model No. DTC-S70-60R-X Special Value Dishtable, clean, straight design, attaches to right of dish machine operator, 10-1/2"H backsplash, 3" rolled front & side rims, stainless steel legs, with crossrails, 59"W x 30"D x 34"H, 16/304 stainless steel

5 ea SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here

Direction to be field verified

ITEM TOTAL:	\$3,000.00	
Merchandise	\$588,102.68	
Tax 7.5%	\$44,107.70	
Total	\$632,210.38	