

BID TABULATION SHEET

	A	B	C
1			
2	RPF#: 179-2324-233_CNS_EQUIP_WIC		
3		Bid Opening Date: 11/16/23	
4	BIDDER NAME	BID TOTAL	COMMENTS
5	DOUGLAS EQUIPMENT	SEE ATTACHMENT	
6	SINGER	SEE ATTACHMENT	
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			



FE&S 2023
DEALER
 OF THE YEAR

Quote

11/15/2023

Project:
 Durham Public Schools / Walk In
 Cooler / Misc Schools

From:
 Singer T&L
 David Maxwell
 933 Robeson Street
 Fayetteville, NC 28305-5613
 (910) 484-1128
 (910)912-6741 (Contact)

Job Reference Number: SF8415M

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <https://www.singerequipment.com/policies/quote-terms-conditions> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer NC LLC d.b.a.Singer T&L, a division of Singer Equipment Company, Inc. ("Singer").

Item	Qty	Description	Sell	Sell Total
1	5 ea	WALK IN COOLER American Panel Corporation Model No. CUSTOM 7'9" x 9'8" x 8' Indoor walk-in-cooler Club BLVD / Glenn / Lakewood / Fayetteville St / Southwest	\$24,070.45	\$120,352.25
			ITEM TOTAL:	\$120,352.25
2	5 ea	INSTALL Singer T&L Model No. INSTALL Singer T&L will receive and install new walk ins at each site. The school will be responsible to have the proper sized disconnects at the condensing units and the proper electrical at the box site. School system will responsible for having a flat surface for the walk ins to be installed on.	\$18,000.00	\$90,000.00
			ITEM TOTAL:	\$90,000.00
3	5 ea	TEAR OUT SINGER T&L Model No. TEAR OUT Singer T&L will tear out and dispose of the current walk ins.	\$2,500.00	\$12,500.00
			ITEM TOTAL:	\$12,500.00
			Merchandise	\$222,852.25
			Tax 7.5%	\$16,713.92
			Total	\$239,566.17

DOUGLAS EQUIPMENT

**Restaurant & Food Store
Equipment**

Quote

11/14/2023

Project:
52550 Durham Public Schools

From:
Douglas Equipment
Cale Veneri
301 North St.
Bluefield, WV 24701-4048
304-327-0149

Job Reference Number: 126596

PLEASE ADD 3% FOR CREDIT CARD PURCHASES
 ***INCLUDES DROP SHIPPING UNLESS NOTED
 OTHERWISE***
 NET 30 ON CASH OR CHECK PURCHASES
 ***DOES NOT INCLUDE STATE SALES TAX WHERE
 APPLICABLE***
 PLEASE ADD 125.00 IF LIFTGATE IS REQUIRED
 SHIPPING INCLUDED
 ***<OPTIONAL> ITEMS ARE NOT INCLUDED IN THE PRICE
 ADD THE AMOUNT IN THE LEFT COLUMN FOR ACCURATE
 PRICING***

Item	Qty	Description	Sell	Sell Total
320 Glenn Elementary	1 ea	INDOOR COOLER	\$18,409.50	\$18,409.50
		Imperial Brown Model No. INDOOR COOLER Walls Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK — Ceiling caps: MOUNTED 4 section 4" urethane NSF wall panels [LDU400] Ceilings Exterior finish: METAL — Interior finish: STUCCO GALVALUME 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]		

Item	Qty	Description	Sell	Sell Total
		<p>Floors Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350]</p> <p>Doors FRAME: 4" high density urethane door section, 3-sided LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep **LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE** HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext. w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A) w/ (1) ea. .080 smooth aluminum threshold w/ Electrical components to be pre-wired 1 ea. 34" x 78" flush model G3 self-closing cooler swing door (RIGHT hinge) [A]</p> <p>Parts (Fixture ships loose for field installation.) 1 ea. 4' LED light fixture #LED-440079 for cooler or Cooler application (65W, 120-277V, 0.6- 0.3A)</p> <hr/> <p>Refrigeration 6993 BTU/H @ 10.7F TD with 13.2 hr runtime @ 35F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Cooler - Outdoor R404a split system w/ EconET 208-230V/1ϕ/60Hz/0.5HP Scroll compressor MCA=15, MOPD =15, AWEF: 7.6 27.875W x 28.25D x 18.75H x 195lbs. (1) Russell R404a air cooled condensing unit #RFO060M4SDANT-QC4 w/ 2-speed EC motors (0.8A) & air defrost 115V/1ϕ/60Hz 27.125W x 15.5D x 18.125H x 39lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6A066ADAREQC</p> <p>Includes (1) ea. 50' Lineset 08533905405 4-year extended compressor warranty (Cooler)</p>		
			Freight:	\$412.00
				\$412.00

Item	Qty	Description	Sell	Sell Total
			Installation: \$9,825.00	\$9,825.00
			ITEM TOTAL:	\$28,646.50

344	1 ea	INDOOR COOLER	\$18,409.50	\$18,409.50
-----	------	---------------	-------------	-------------

Fayetteville St

Imperial Brown Model No. INDOOR COOLER

Walls

Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME

Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK — Ceiling caps: MOUNTED

4 section 4" urethane NSF wall panels [LDU400]

Ceilings

Exterior finish: METAL — Interior finish: STUCCO GALVALUME

1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]

Floors

Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext.

Finish: METAL

1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF)

[HDU350]

Doors

FRAME: 4" high density urethane door section, 3-sided

LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep

****LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE****

HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins.

Rel., (1) Kason "PUSH" pad, (1) 1094 closer

FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain

w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext.

w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit

w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A)

w/ (1) ea. .080 smooth aluminum threshold

w/ Electrical components to be pre-wired

1 ea. 34" x 78" flush model G3 self-closing cooler swing door (RIGHT hinge) [A]

Parts

(Fixture ships loose for field installation.)

1 ea. 4' LED light fixture #LED-440079 for cooler or Cooler application (65W, 120-277V, 0.6-

0.3A)

Refrigeration

Item	Qty	Description	Sell	Sell Total
		6993 BTU/H @ 10.7F TD with 13.2 hr runtime @ 35F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Cooler - Outdoor R404a split system w/ EcoNET 208-230V/1Ø/60Hz/0.5HP Scroll compressor MCA=15, MOPD =15, AWEF: 7.6 27.875W x 28.25D x 18.75H x 195lbs. (1) Russell R404a air cooled condensing unit #RFO060M4SDANT-QC4 w/ 2-speed EC motors (0.8A) & air defrost 115V/1Ø/60Hz 27.125W x 15.5D x 18.125H x 39lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6A066ADAREQC Includes (1) ea. 50' Lineset 08533905405 4-year extended compressor warranty (Cooler)		
			Freight:	\$412.00
			Installation:	\$9,825.00
			ITEM TOTAL:	\$28,646.50
372	1 ea	INDOOR COOLER	\$18,409.50	\$18,409.50

South west

Imperial Brown Model No. INDOOR COOLER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]

Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]
 Floors
 Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL
 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350]
 Doors
 FRAME: 4" high density urethane door section, 3-sided
 LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep
 LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE
 HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer
 FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain

Item	Qty	Description	Sell	Sell Total
		w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext. w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A) w/ (1) ea. .080 smooth aluminum threshold w/ Electrical components to be pre-wired 1 ea. 34" x 78" flush model G3 self-closing cooler swing door (RIGHT hinge) [A] Parts (Fixture ships loose for field installation.) 1 ea. 4' LED light fixture #LED-440079 for cooler or Cooler application (65W, 120-277V, 0.6-0.3A) Refrigeration 6993 BTU/H @ 10.7F TD with 13.2 hr runtime @ 35F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Cooler - Outdoor R404a split system w/ EcoNET 208-230V/1ϕ/60Hz/0.5HP Scroll compressor MCA=15, MOPD =15, AWEF: 7.6 27.875W x 28.25D x 18.75H x 195lbs. (1) Russell R404a air cooled condensing unit #RFO060M4SDANT-QC4 w/ 2-speed EC motors (0.8A) & air defrost 115V/1ϕ/60Hz 27.125W x 15.5D x 18.125H x 39lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6A066ADAREQC Includes (1) ea. 50' Lineset 08533905405 4-year extended compressor warranty (Cooler)		
			Freight:	\$415.00
			Installation:	\$9,825.00
			ITEM TOTAL:	\$28,649.50

Club	1 ea	INDOOR COOLER	\$18,409.50	\$18,409.50
------	------	----------------------	-------------	-------------

Boule vard

Imperial Brown Model No. INDOOR COOLER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]
 Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]

Item	Qty	Description	Sell	Sell Total
------	-----	-------------	------	------------

Floors

Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL

1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350]

Doors

FRAME: 4" high density urethane door section, 3-sided
LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep

****LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE****

HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer

FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain
w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext.

w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit

w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A)

w/ (1) ea. .080 smooth aluminum threshold

w/ Electrical components to be pre-wired

1 ea. 34" x 78" flush model G3 self-closing cooler swing door (RIGHT hinge) [A]

Parts

(Fixture ships loose for field installation.)

1 ea. 4' LED light fixture #LED-440079 for cooler or Cooler application (65W, 120-277V, 0.6-0.3A)

Refrigeration

6993 BTU/H @ 10.7F TD with 13.2 hr runtime @ 35F inside/85F outside room, 94F @ cond. unit, 274ft altitude

1 ea. Cooler - Outdoor R404a split system w/ EcoNET

208-230V/1 ϕ /60Hz/0.5HP Scroll compressor

MCA=15, MOPD =15, AWEF: 7.6

27.875W x 28.25D x 18.75H x 195lbs.

(1) Russell R404a air cooled condensing unit #RFO060M4SDANT-QC4 w/ 2-speed EC motors (0.8A) & air defrost

115V/1 ϕ /60Hz

27.125W x 15.5D x 18.125H x 39lbs.

(1) Russell R404a Next-Gen All-Temp evaporator model

#RL6A066ADAREQC

Includes

(1) ea. 50' Lineset 08533905405

4-year extended compressor warranty (Cooler)

Freight: \$846.00 \$846.00

Item	Qty	Description	Sell	Sell Total
			Installation: \$9,217.00	\$9,217.00
			ITEM TOTAL:	\$28,472.50
Lakewood	1 ea	INDOOR COOLER	\$18,409.50	\$18,409.50

Imperial Brown Model No. INDOOR COOLER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]
 Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]
 Floors
 Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL
 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350]
 Doors
 FRAME: 4" high density urethane door section, 3-sided
 LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep
 LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE
 HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer
 FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners
 w/ 14 ga. hot rolled black steel backing for strip curtain
 w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext.
 w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit
 w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A)
 w/ (1) ea. .080 smooth aluminum threshold
 w/ Electrical components to be pre-wired
 1 ea. 34" x 78" flush model G3 self-closing cooler swing door (RIGHT hinge) [A]
 Parts
 (Fixture ships loose for field installation.)
 1 ea. 4' LED light fixture #LED-440079 for cooler or Cooler application (65W, 120-277V, 0.6-0.3A)
 Refrigeration
 6993 BTU/H @ 10.7F TD with 13.2 hr runtime @ 35F inside/85F outside room, 94F @ cond. unit, 274ft altitude

Item	Qty	Description	Sell	Sell Total
		1 ea. Cooler - Outdoor R404a split system w/ EcoNET 208-230V/1ø/60Hz/0.5HP Scroll compressor MCA=15, MOPD =15, AWEF: 7.6 27.875W x 28.25D x 18.75H x 195lbs. (1) Russell R404a air cooled condensing unit #RFO060M4SDANT-QC4 w/ 2-speed EC motors (0.8A) & air defrost 115V/1ø/60Hz 27.125W x 15.5D x 18.125H x 39lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6A066ADAREQC Includes (1) ea. 50' Lineset 08533905405 4-year extended compressor warranty (Cooler)		
			Freight:	\$846.00
			Installation:	\$8,538.00
			ITEM TOTAL:	\$27,793.50
			Total	\$142,208.50

- PRICING VALID FOR 30 DAYS
- PLEASE ADD 3% FOR CREDIT CARD PURCHASES
- DOES NOT INCLUDE STATE SALES TAX WHERE APPLICABLE
- SHIPPING INCLUDED BASED OFF OF THE QUANTITY AND LOCATION REQUESTED.
- IF ORDER REFLECTS A DIFFERENT QUANTITY OR LOCATION,
PRICE IS SUBJECT TO CHANGE AT CUSTOMERS EXPENSE.*

- Freight is included in the unit pricing.
- Installation is included in the unit pricing.
- ~~The customer is responsible for all power supplies and utilities to be within four feet of~~
the install footprint and to match the utility requirements of the units being installed prior to the installer's arrival.
- The installer will be hooking up the new equipment to ALREADY EXISTING utilities.
- The site MUST be ready upon installer's arrival; if it is not, or the installer has to make a second trip, more charges will incur and be the responsibility of the customer.
- We are not responsible for any utility upgrades or architectural modifications if they become necessary.
- This job is being bid site unseen; if the installer, upon arrival, deems that more work is necessary than a standard install, more charges will incur and be the responsibility of the customer. It is assumed that no stairs or doorways will need to be traversed.
- This work is to be done during normal hours, Monday – Friday, 8:00 am – 5:00 pm, holidays excluded.

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$142,208.50