

BID TABULATION SHEET

	A	B	C
1			
2	RPF#: 179-2324-234-CNS_EQUIP_WIF		
3		Bid Opening Date: 011/20/23	
4	BIDDER NAME	BID TOTAL	COMMENTS
5	SINGER T&L	SEE ATTACHMENT	
6	DOUGLAS EQUIPMENT	SEE ATTACHMENT	
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			



FE&S 2023
DEALER
 OF THE YEAR

Quote

11/15/2023

Project:
 Durham Public Schools / Indoor
 Walk-In Freezer / Misc Schools

From:
 Singer T&L
 David Maxwell
 933 Robeson Street
 Fayetteville, NC 28305-5613
 (910) 484-1128
 (910)912-6741 (Contact)

Job Reference Number: SF8416M

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <https://www.singerequipment.com/policies/quote-terms-conditions> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer NC LLC d.b.a.Singer T&L, a division of Singer Equipment Company, Inc. ("Singer").

Item	Qty	Description	Sell	Sell Total
1	4 ea	IN DOOR FREEZER American Panel Corporation Model No. CUSTOM 9'8" x 9'8" x 8' indoor walk in freezer -10 degrees	\$28,389.77	\$113,559.08
			ITEM TOTAL:	\$113,559.08
2	2 ea	IN DOOR FREEZER American Panel Corporation Model No. CUSTOM 7'9" x 7'9" x 8' indoor walk in freezer -10 degrees	\$28,389.77	\$56,779.54
			ITEM TOTAL:	\$56,779.54
3	6 ea	INSTALL Singer T&L Model No. INSTALL Singer T&L will receive and install new walk ins at each site. The school will be responsible to have the proper sized disconnects at the condensing units and the proper electrical at the box site. School system will responsible for having a flat surface for the walk ins to be installed on.	\$18,000.00	\$108,000.00
			ITEM TOTAL:	\$108,000.00
4	6 ea	TEAR OUT SINGER T&L Model No. TEAR OUT Singer T&L will tear out and dispose of the current walk ins.	\$2,500.00	\$15,000.00
			ITEM TOTAL:	\$15,000.00

Singer T&L

11/15/2023

Merchandise	\$293,338.62
Tax 7.5%	\$22,000.40
Total	\$315,339.02

Prices are valid for 30 days unless otherwise noted herein, thereafter reconfirm.

Unless otherwise noted herein, freight charges are NOT included.

Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

See link to the Terms and Conditions, Return/Cancellation Section for the return and cancellation terms applicable to this Quote.

See link to the Terms and Conditions, Delivery Section, for delivery and shipping terms applicable to this Quote.

See link to the Terms and Conditions, Scope of Work Section, for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept. *By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*
- B. Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts the terms of the Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, both of which I hereby ACCEPT.

WE ACCEPT ELECTRONIC SIGNATURES. By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.

Insert name
of customer: _____

By (signature): _____

Name (print): _____

Title (print): _____

Date: _____

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$315,339.02

DOUGLAS EQUIPMENT

**Restaurant & Food Store
Equipment**

Quote

11/14/2023

Project:
52543 Durham Public Schools
Freezers

From:
Douglas Equipment
Cale Veneri
301 North St.
Bluefield, WV 24701-4048
304-327-0149

Job Reference Number: 126593

*****PLEASE ADD 3% FOR CREDIT CARD PURCHASES*****
*****INCLUDES DROP SHIPPING UNLESS NOTED OTHERWISE*****
*****NET 30 ON CASH OR CHECK PURCHASES*****
*****DOES NOT INCLUDE STATE SALES TAX WHERE APPLICABLE*****
*****PLEASE ADD 125.00 IF LIFTGATE IS REQUIRED*****
*****SHIPPING INCLUDED*****
*****<OPTIONAL> ITEMS ARE NOT INCLUDED IN THE PRICE ADD THE AMOUNT IN THE LEFT COLUMN FOR ACCURATE PRICING*****

Item	Qty	Description	Sell	Sell Total
1 366 Sherwood Githens	1 ea	INDOOR FREEZER Imperial Brown Model No. INDOOR FREEZER Walls Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK — Ceiling caps: MOUNTED 4 section 4" urethane NSF wall panels [LDU400] Ceilings Exterior finish: METAL — Interior finish: STUCCO GALVALUME	\$23,431.50	\$23,431.50

Item	Qty	Description	Sell	Sell Total
		<p>1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400] Floors Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350] Doors FRAME: 4" high density urethane door section, 3-sided, 4-sided heat cable LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep **LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE** HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext. w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A) w/ (1) ea. .080 smooth aluminum threshold w/ Electrical components to be pre-wired 1 ea. 34" x 78" flush model G3 self-closing freezer swing door (RIGHT hinge) [A] Parts (Fixture ships loose for field installation.) 2 ea. 4' LED light fixture #LED-440079 for cooler or freezer application (65W, 120-277V, 0.6- 0.3A) Refrigeration 9064 BTU/H @ 10.2F TD with 15.1 hr runtime @ -10F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Freezer - Outdoor R404a split system w/ EcoNET 208-230V/1ϕ/60Hz/2.5HP Scroll compressor MCA=32, MOPD =45, AWEF: 3.15 39.875W x 28.25D x 21.25H x 240lbs. (1) Russell R404a air cooled condensing unit #RFO250L4SDANT-QC4 w/ 2-speed EC motors (1A) & electric defrost (9.8A) 208-230V/1ϕ/60Hz 43.625W x 15.5D x 18.125H x 48lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6E090DDAREQC Includes (1) ea. 50' Line 0853390505</p>		

Item	Qty	Description	Sell	Sell Total
		4-year extended compressor warranty (Freezer)		
			Freight: \$745.00	\$745.00
			Installation: \$11,425.00	\$11,425.00
			ITEM TOTAL:	\$35,601.50
2320	1 ea	INDOOR FREEZER	\$21,441.60	\$21,441.60

Glenn
Elementary

Imperial Brown Model No. INDOOR FREEZER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]
 Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]
 Floors
 Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext.
 Finish: METAL
 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels
 model #HTFN (NSF)
 [HDU350]
 Doors
 FRAME: 4" high density urethane door section, 3-sided, 4-sided heat
 cable
 LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene

sweep
****LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE****
 HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins.
 Rel., (1) Kason 'PUSH' pad, (1) 1094 closer
 FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners
 w/ 14 ga. hot rolled black steel backing for strip curtain
 w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @
 ext.
 w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/
 concealed conduit
 w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A)
 w/ (1) ea. .080 smooth aluminum threshold
 w/ Electrical components to be pre-wired
 1 ea. 34" x 78" flush model G3 self-closing freezer swing door (RIGHT
 hinge) [A]
 Parts
 (Fixture ships loose for field installation.)
 1 ea. 4' LED light fixture #LED-440079 for cooler or Freezer application

Item	Qty	Description	Sell	Sell Total
		(65W, 120-277V, 0.6-0.3A) Refrigeration 9064 BTU/H @ 10.2F TD with 15.1 hr runtime @ -10F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Freezer - Outdoor R404a split system w/ EcoNET 208-230V/1ø/60Hz/2.5HP Scroll compressor MCA=32, MOPD =45, AWEF: 3.15 39.875W x 28.25D x 21.25H x 240lbs. (1) Russell R404a air cooled condensing unit #RFO250L4SDANT-QC4 w/ 2-speed EC motors (1A) & electric defrost (9.8A) 208-230V/1ø/60Hz 43.625W x 15.5D x 18.125H x 48lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6E090DDAREQC Includes (1) ea. 50' Line 0853390505 4-year extended compressor warranty (Freezer) OPTIONS *** Options are not included in FOB Price *** Please check desired options Kickplates for (1) 34" x 78" flush model G3 door 36" high, .063 aluminum diamond tread (LP) (ext. leaf) / 36" high, .063 aluminum diamond tread (LP) (int. leaf)		
			Freight: \$412.00	\$412.00
			Installation: \$9,825.00	\$9,825.00
			ITEM TOTAL:	\$31,678.60
3 344	1 ea	INDOOR FREEZER	\$21,441.60	\$21,441.60

Fayetteville St

Imperial Brown Model No. INDOOR FREEZER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]
 Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]
 Floors
 Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL
 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [H DU350]

Item	Qty	Description	Sell	Sell Total
		<p>Doors</p> <p>FRAME: 4" high density urethane door section, 3-sided, 4-sided heat cable</p> <p>LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep</p> <p>**LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE**</p> <p>HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer</p> <p>FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain</p> <p>w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext.</p> <p>w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit</p> <p>w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A)</p> <p>w/ (1) ea. .080 smooth aluminum threshold</p> <p>w/ Electrical components to be pre-wired</p> <p>1 ea. 34" x 78" flush model G3 self-closing freezer swing door (RIGHT hinge) [A]</p> <p>Parts</p> <p>(Fixture ships loose for field installation.)</p> <p>1 ea. 4' LED light fixture #LED-440079 for cooler or Freezer application (65W, 120-277V, 0.6-0.3A)</p> <p>Refrigeration</p> <p>9064 BTU/H @ 10.2F TD with 15.1 hr runtime @ -10F inside/85F outside room, 94F @ cond. unit, 274ft altitude</p> <p>1 ea. Freezer - Outdoor R404a split system w/ EconET</p> <p>208-230V/1φ/60Hz/2.5HP Scroll compressor</p> <p>MCA=32, MOPD =45, AWEF: 3.15</p> <p>39.875W x 28.25D x 21.25H x 240lbs.</p> <p>(1) Russell R404a air cooled condensing unit #RFO250L4SDANT-QC4 w/ 2-speed EC motors (1A) & electric defrost (9.8A)</p> <p>208-230V/1φ/60Hz</p> <p>43.625W x 15.5D x 18.125H x 48lbs.</p> <p>(1) Russell R404a Next-Gen All-Temp evaporator model #RL6E090DDAREQC</p> <p>Includes</p> <p>(1) ea. 50' Line 0853390505</p> <p>4-year extended compressor warranty (Freezer)</p>		
			Freight:	\$412.00
			Installation:	\$9,825.00
			ITEM TOTAL:	\$31,678.60
4	1 ea	INDOOR FREEZER	\$23,431.50	\$23,431.50
Lowe's				
Grove				

Initial: _____

Item	Qty	Description	Sell	Sell Total
		<p>Imperial Brown Model No. INDOOR FREEZER</p> <p>Walls</p> <p>Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME</p> <p>Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —</p> <p>Ceiling caps: MOUNTED</p> <p>4 section 4" urethane NSF wall panels [LDU400]</p> <p>Ceilings</p> <p>Exterior finish: METAL — Interior finish: STUCCO GALVALUME</p> <p>1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]</p> <p>Floors</p> <p>Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL</p> <p>1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350]</p> <p>Doors</p> <p>FRAME: 4" high density urethane door section, 3-sided, 4-sided heat cable</p> <p>LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep</p> <p>**LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE**</p> <p>HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer</p> <p>FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain</p> <p>w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext.</p> <p>w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit</p> <p>w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A)</p> <p>w/ (1) ea. .080 smooth aluminum threshold</p> <p>w/ Electrical components to be pre-wired</p> <p>1 ea. 34" x 78" flush model G3 self-closing freezer swing door (RIGHT hinge) [A]</p> <p>Parts</p> <p>(Fixture ships loose for field installation.)</p> <p>2 ea. 4' LED light fixture #LED-440079 for cooler or freezer application (65W, 120-277V, 0.6-0.3A)</p> <p>Refrigeration</p> <p>9064 BTU/H @ 10.2F TD with 15.1 hr runtime @ -10F inside/85F outside room, 94F @ cond. unit, 274ft altitude</p> <p>1 ea. Freezer - Outdoor R404a split system w/ EcoNET 208-230V/1ϕ/60Hz/2.5HP Scroll compressor</p> <p>MCA=32, MOPD =45, AWEF: 3.15</p>		

Item	Qty	Description	Sell	Sell Total
		39.875W x 28.25D x 21.25H x 240lbs. (1) Russell R404a air cooled condensing unit #RFO250L4SDANT-QC4 w/ 2-speed EC motors (1A) & electric defrost (9.8A) 208-230V/1φ/60Hz 43.625W x 15.5D x 18.125H x 48lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6E090DDAREQC Includes (1) ea. 50' Line 0853390505 4-year extended compressor warranty (Freezer)	Freight: \$745.00 Installation: \$11,425.00 ITEM TOTAL:	\$745.00 \$11,425.00 \$35,601.50
5 352	1 ea	INDOOR FREEZER	\$23,431.50	\$23,431.50

Merrick
k
Moore

Imperial Brown Model No. INDOOR FREEZER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]
 Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]
 Floors

Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext.
 Finish: METAL
 1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels
 model #HTFN (NSF)
 [HDU350]
 Doors
 FRAME: 4" high density urethane door section, 3-sided, 4-sided heat
 cable
 LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene
 sweep
 LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE
 HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins.
 Rel., (1) Kason 'PUSH' pad, (1) 1094 closer
 FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners
 w/ 14 ga. hot rolled black steel backing for strip curtain
 w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @
 ext.
 w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/

Item	Qty	Description	Sell	Sell Total
		concealed conduit w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A) w/ (1) ea. .080 smooth aluminum threshold w/ Electrical components to be pre-wired 1 ea. 34" x 78" flush model G3 self-closing freezer swing door (RIGHT hinge) [A] Parts (Fixture ships loose for field installation.) 2 ea. 4' LED light fixture #LED-440079 for cooler or freezer application (65W, 120-277V, 0.6-0.3A) Refrigeration 9064 BTU/H @ 10.2F TD with 15.1 hr runtime @ -10F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Freezer - Outdoor R404a split system w/ EcoNET 208-230V/1 ϕ /60Hz/2.5HP Scroll compressor MCA=32, MOPD =45, AWEF: 3.15 39.875W x 28.25D x 21.25H x 240lbs. (1) Russell R404a air cooled condensing unit #RFO250L4SDANT-QC4 w/ 2-speed EC motors (1A) & electric defrost (9.8A) 208-230V/1 ϕ /60Hz 43.625W x 15.5D x 18.125H x 48lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6E090DDAREQC Includes (1) ea. 50' Line 0853390505 4-year extended compressor warranty (Freezer)		

Freight: \$745.00 \$745.00

Installation: \$11,425.00 \$11,425.00

ITEM TOTAL: \$35,601.50

6372	1 ea	INDOOR FREEZER	\$23,431.50	\$23,431.50
------	------	----------------	-------------	-------------

South west

Imperial Brown Model No. INDOOR FREEZER
 Walls
 Exterior finish: STUCCO GALVALUME — Interior finish: STUCCO GALVALUME
 Connection to ceiling: CAMLOCK — Connection to floor: CAMLOCK —
 Ceiling caps: MOUNTED
 4 section 4" urethane NSF wall panels [LDU400]
 Ceilings
 Exterior finish: METAL — Interior finish: STUCCO GALVALUME
 1 section 4" urethane NSF ceiling panels (10 #/sf. live load) [LDU400]
 Floors
 Int. Finish: .080 SMOOTH ALUMINUM over 1/2" PLYWOOD — Ext. Finish: METAL

Item	Qty	Description	Sell	Sell Total
		1 section 3 1/2" high density urethane NSF Hand-Truck Floor panels model #HTFN (NSF) [HDU350] Doors FRAME: 4" high density urethane door section, 3-sided, 4-sided heat cable LEAF: 4" thick, 3-side lap, Magnetic gasket, 2 1/4" black neoprene sweep **LEAF WILL NOT BE RAISED UNLESS SPECIFIED OTHERWISE** HARDWARE: (3) W59 hinge, (1) 27C deadbolt handle, (1) 27C knob ins. Rel., (1) Kason 'PUSH' pad, (1) 1094 closer FINISH: Stucco galvalume / 24 ga. stainless steel 430 (magnetic) liners w/ 14 ga. hot rolled black steel backing for strip curtain w/ (1) ea. Weiss 24DT-L, single pole switch and thermometer combo @ ext. w/ (1) ea. Vapor proof light fixture base only for E26 LED lamp w/ concealed conduit w/ (1) ea. Kason 1832 heated air vent (23W, 120V, .2A) w/ (1) ea. .080 smooth aluminum threshold w/ Electrical components to be pre-wired 1 ea. 34" x 78" flush model G3 self-closing freezer swing door (RIGHT hinge) [A] Parts (Fixture ships loose for field installation.) 2 ea. 4' LED light fixture #LED-440079 for cooler or freezer application (65W, 120-277V, 0.6- 0.3A) Refrigeration 9064 BTU/H @ 10.2F TD with 15.1 hr runtime @ -10F inside/85F outside room, 94F @ cond. unit, 274ft altitude 1 ea. Freezer - Outdoor R404a split system w/ EcoNET 208-230V/1 ϕ /60Hz/2.5HP Scroll compressor MCA=32, MOPD =45, AWEF: 3.15 39.875W x 28.25D x 21.25H x 240lbs. (1) Russell R404a air cooled condensing unit #RFO250L4SDANT-QC4 w/ 2-speed EC motors (1A) & electric defrost (9.8A) 208-230V/1 ϕ /60Hz 43.625W x 15.5D x 18.125H x 48lbs. (1) Russell R404a Next-Gen All-Temp evaporator model #RL6E090DDAREQC Includes (1) ea. 50' Line 0853390505 4-year extended compressor warranty (Freezer)		
			Freight:	\$413.50
			Installation:	\$9,825.00
			ITEM TOTAL:	\$33,670.00

Douglas Equipment

11/14/2023

Total

\$203,831.70

- PRICING VALID FOR 30 DAYS
- PLEASE ADD 3% FOR CREDIT CARD PURCHASES
- DOES NOT INCLUDE STATE SALES TAX WHERE APPLICABLE
- SHIPPING INCLUDED BASED OFF OF THE QUANTITY AND LOCATION REQUESTED.
*IF ORDER REFLECTS A DIFFERENT QUANTITY OR LOCATION,
PRICE IS SUBJECT TO CHANGE AT CUSTOMERS EXPENSE.*

- Freight is included in the unit pricing.
- Installation is included in the unit pricing.
- The customer is responsible for all power supplies and utilities to be within four feet of the install footprint and to match the utility requirements of the units being installed prior to the installer's arrival.
- The installer will be hooking up the new equipment to ALREADY EXISTING utilities.
- The site MUST be ready upon installer's arrival; if it is not, or the installer has to make a second trip, more charges will incur and be the responsibility of the customer.
- We are not responsible for any utility upgrades or architectural modifications if they become necessary.
- This job is being bid site unseen; if the installer, upon arrival, deems that more work is necessary than a standard install, more charges will incur and be the responsibility of the customer. It is assumed that no stairs or doorways will need to be traversed.
- This work is to be done during normal hours, Monday – Friday, 8:00 am – 5:00 pm, holidays excluded.

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$203,831.70